




PLANNING & DEVELOPMENT DEPARTMENT

STATEMENT OF FINANCIAL INTEREST

Case Number: WVR-14009 APN: 137.14 501.003 PTN
Name of Property Owner: Howard Hughes Corporation Name of Applicant: Pule Homes
Name of Applicant: Pulke Homes
To the best of your knowledge, does the Mayor or any member of the City Council or Planning Commission have any financial interest in this or any other property with the property owner, applicant, the property owner or applicant's general or limited partners, or an officer of their corporation or limited liability company?
If yes, please indicate the member of the City Council or Planning Commission who is involved and list the name(s) of the person or persons with whom the City Official holds an interest. Also list the Assessor's Parcel Number if the property in which the interest is held is different from the case parcel.
City Official:
Partner(s):
APN:
Signature of Property Owner:
Print Name: KEUN T. ORROCK
Subscribed and sworn before me
This 18th day of M/Y, 2006 Clystif Wase Notary Public in and for said County and State ELiZABETH MASS NOTARY PUBLIC STATE OF NEVADA APPT. No 05-98999-1 MY APPT. EXPIRES JULY 15, 2009







WVR-14008 WVR-14009

SDR-14047

07-13-06 PC

WVR-14007

JUN 0 1 2006





HOOD STREET DESIGN

GUIDELINES

Proposed Recommended Practice of the រត្តិនៅប៉ែងe of Transportation Engineers

2003





RHOOD STREET DESIGN COMMITTEE

哈哈哈特网与据建


是方面合为有可能到用

Institute of Transportation Engineers

WVR-14007 **SDR-14047** WVR-14008 WVR-14009

JUN 0 1 2006

07-13-06 PC



NOTES:

- * 1. SEE APPROPRIATE VILLAGE DESIGN CRITERIA FOR REQUIRED LANDSCAPE TREATMENT & SIDEWALK WIDTHS.
 - 2. SEE GENERAL NOTES ON STD. DWG. S-1 OF THIS SECTION.
 - 3. MINIMUM FLOWLINE TO FLOWLINE DIMENSION SHALL BE 36 FEET.
 - 4. SIDEWALK MAY BE DETACHED FROM CURB PROVIDING A 3' MINIMUM SEPARATION IS MAINTAINED BETWEEN THE SIDEWALK AND THE CURB. THIS AREA SHALL BE DESIGNATED AS A "PUBLIC PEDESTRIAN ACCESS CORRIDOR EASEMENT" ON THE PROJECT FINAL MAP BY THE PARCEL DEVELOPER.

SDR-14047 WVR-14007 WVR-14008 WVR-14009 07-13-06 PC

JUN 0 1 2006

RECOMMENDED BY:


SUMMER IN STANDARD DRAWINGS


CHRISTOPHER W. ANDERSON R.P.E # 5071

RESIDENTIAL STREET

(PRIVATE)

DATE 6-26-9 DWG. NO. S-14A PAGE NO. 1 OF 1





NOTES:

- * 1. SEE APPROPRIATE VILLAGE DESIGN CRITERIA FOR REQUIRED LANDSCAPE TREATMENT & SIDEWALK WIDTHS.
 - 2. SEE GENERAL NOTES ON STD. DWG. S-1 OF THIS SECTION.
 - 3. MINIMUM FLOWLINE TO FLOWLINE DIMENSION SHALL BE 36 FEET.
 - 4. SIDEWALK MAY BE DETACHED FROM CURB PROVIDING A 3' MINIMUM SEPARATION IS MAINTAINED BETWEEN THE SIDEWALK AND THE CURB.
 - STREET LIGHTS AND HYDRANTS SHALL NOT ENCROACH INTO SIDEWALKS OR WALKWAYS.
 - 6. PUBLIC SIDEWALK EASEMENTS SHALL BE PROVIDED ON THE SIDE OF THOSE PUBLIC OR PRIVATE STREETS WHERE SIDEWALKS ARE TO BE BUILT. GARAGE DOOR SETBACKS ARE TO BE MEASURED FROM THE RIGHT-OF-WAY LINE OR THE HOUSE SIDE OF THE SIDEWALK, WHICHEVER IS THE SHORTEST DISTANCE.

SDR-14047 WVR-14007 WVR-14008 WVR-14009 07-13-06 PC

JUN 0 1 2006

RECOMMENDED BY:

SUMMER LIN STANDARD DRAWINGS

CHRISTOPHER W. ANDERSON R.P.E # 5071

APPROVED BY:

CL.V. CITY ENGINEER R.P.E. NO. 9160

DATE 2/2/93 DWG. NO. S-14 PAGE NO. 1 OF 1